



# EUROroll



## Graphic dimensions

Total size: 850; 1 000; 1 200; 1 500 x 2 000 mm

Replaceable logo: 860; 1010, 1 210, 1 510 x 45 mm



## Graphic preparation

Entire format: 850; 1 000; 1 200; 1 500 x 2 000 mm

Printing area: 870; 1 020; 1 220; 1 520 x 2 170 mm

Overlap: 10 mm on each side of entire format  
WITHOUT CUTTING MARKS

Replaceable logo: 860; 1010, 1 210, 1 510 x 45 mm

## Data requirements for digital print:

### PDF:

Adobe Acrobat (version 6 and lower)  
Texts integrated into the file or converted into paths.

### Bitmap applications:

TIFF, BMP, EPS, Photoshop – PSD (version 8 and lower).

All data must be prepared on a 1:1 scale. Pictures on a scale of 1:4 or larger (up to 1:1) scanned in with 320 dpi (physical resolution).

### Vector applications:

Illustrator – EPS nebo AI (version 11 and lower)  
Logos and texts must be converted into paths.

Other applications after consultation.

### Colours:

All data have to be in CMYK (be aware of fotos in RGB and direct colours in Illustrator) and must have defined the used colour profile. Otherwise we do not guarantee desired colours.

### Possible data compression:


ZIP, ARJ, RAR, Stuffit

### Data media:

CD, DVD, external USB, HD, data transfer through FTP

Other media after consultation.


# EUROroll, 85 x 200



## Graphic dimensions

Total size: 850 x 2 000 mm

Replaceable logo: 860 x 45 mm



## Graphic preparation

Entire format: 850 x 2 000 mm

Printing area: 870 x 2 170 mm

Overlap: 10 mm on each side of entire format  
WITHOUT CUTTING MARKS

Replaceable logo: 860 x 45 mm

## Data requirements for digital print:

### PDF:

Adobe Acrobat (version 6 and lower)  
Texts integrated into the file or converted into paths.

### Bitmap applications:

TIFF, BMP, EPS, Photoshop – PSD (version 8 and lower).

All data must be prepared on a 1:1 scale. Pictures on a scale of 1:4 or larger (up to 1:1) scanned in with 320 dpi (physical resolution).

### Vector applications:

Illustrator – EPS nebo AI (version 11 and lower)  
Logos and texts must be converted into paths.

Other applications after consultation.

### Colours:

All data have to be in CMYK (be aware of fotos in RGB and direct colours in Illustrator) and must have defined the used colour profile. Otherwise we do not guarantee desired colours.

### Possible data compression:


ZIP, ARJ, RAR, Stuffit

### Data media:

CD, DVD, external USB, HD, data transfer through FTP

Other media after consultation.


# EUROroll, 100 x 200



## Graphic dimensions

Total size: 1 000 x 2 000 mm

Replaceable logo: 1 010 x 45 mm



## Graphic preparation

Entire format: 1 000 x 2 000 mm

Printing area: 1 020 x 2 170 mm  
Overlap: 10 mm on each side of entire format  
WITHOUT CUTTING MARKS

Replaceable logo: 1 010 x 45 mm

## Data requirements for digital print:

### PDF:

Adobe Acrobat (version 6 and lower)  
Texts integrated into the file or converted into paths.

### Bitmap applications:

TIFF, BMP, EPS, Photoshop – PSD (version 8 and lower).

All data must be prepared on a 1:1 scale. Pictures on a scale of 1:4 or larger (up to 1:1) scanned in with 320 dpi (physical resolution).

### Vector applications:

Illustrator – EPS nebo AI (version 11 and lower)  
Logos and texts must be converted into paths.

Other applications after consultation.

### Colours:

All data have to be in CMYK (be aware of fotos in RGB and direct colours in Illustrator) and must have defined the used colour profile. Otherwise we do not guarantee desired colours.

### Possible data compression:


ZIP, ARJ, RAR, Stuffit

### Data media:

CD, DVD, external USB, HD, data transfer through FTP

Other media after consultation.


# EUROroll, 120 x 200



## Graphic dimensions

Total size: 1 200 x 2 000 mm

Replaceable logo: 1 210 x 45 mm



## Graphic preparation

Entire format: 1 200 x 2 000 mm

Printing area: 1 220 x 2 170 mm  
Overlap: 10 mm on each side of entire format  
WITHOUT CUTTING MARKS

Replaceable logo: 1 210 x 45 mm

## Data requirements for digital print:

### PDF:

Adobe Acrobat (version 6 and lower)  
Texts integrated into the file or converted into paths.

### Bitmap applications:

TIFF, BMP, EPS, Photoshop – PSD (version 8 and lower).

All data must be prepared on a 1:1 scale. Pictures on a scale of 1:4 or larger (up to 1:1) scanned in with 320 dpi (physical resolution).

### Vector applications:

Illustrator – EPS nebo AI (version 11 and lower)  
Logos and texts must be converted into paths.

Other applications after consultation.

### Colours:

All data have to be in CMYK (be aware of fotos in RGB and direct colours in Illustrator) and must have defined the used colour profile. Otherwise we do not guarantee desired colours.

### Possible data compression:


ZIP, ARJ, RAR, Stuffit

### Data media:

CD, DVD, external USB, HD, data transfer through FTP

Other media after consultation.


# EUROroll, 150 x 200



## Graphic dimensions

Total size: 1 500 x 2 000 mm

Replaceable logo: 1 510 x 45 mm



## Graphic preparation

Entire format: 1 500 x 2 000 mm

Printing area: 1 520 x 2 170 mm

Overlap: 10 mm on each side of entire format  
WITHOUT CUTTING MARKS

Replaceable logo: 1 510 x 45 mm

## Data requirements for digital print:

### PDF:

Adobe Acrobat (version 6 and lower)  
Texts integrated into the file or converted into paths.

### Bitmap applications:

TIFF, BMP, EPS, Photoshop – PSD (version 8 and lower).

All data must be prepared on a 1:1 scale. Pictures on a scale of 1:4 or larger (up to 1:1) scanned in with 320 dpi (physical resolution).

### Vector applications:

Illustrator – EPS nebo AI (version 11 and lower)  
Logos and texts must be converted into paths.

Other applications after consultation.

### Colours:

All data have to be in CMYK (be aware of fotos in RGB and direct colours in Illustrator) and must have defined the used colour profile. Otherwise we do not guarantee desired colours.

### Possible data compression:

ZIP, ARJ, RAR, Stuffit

### Data media:

CD, DVD, external USB, HD, data transfer through FTP

Other media after consultation.